

福島県立医科大学 学術機関リポジトリ



Title	心臓調律制御医学講座(論文・著書・発表等)
Author(s)	
Citation	福島県立医科大学業績集. 2: 362-365
Issue Date	2022-03-22
URL	http://ir.fmu.ac.jp/dspace/handle/123456789/1792
Rights	©2022 福島県立医科大学
DOI	
Text Version	publisher

This document is downloaded at: 2024-04-23T10:17:13Z

Ota K, Takahashi T, Kamo N, Endo Y, Furukawa S, Soeda S. Successful management of a submucosal fibroid using a hysteroscopic morcellator system in a patient with a history of total proctocolectomy: A case report. *Journal of Obstetrics and Gynaecology Research*. 2021; 46(11):2450-2453.

Natori Y, Sasaki E, Soeda S, Furukawa S, Azami Y, Tokuda E, Kanbayashi T, Saji S. Risk of immunotherapy-related narcolepsy in genetically predisposed patients: a case report of narcolepsy after administration of pembrolizumab. *Journal for Immunotherapy of Cancer*. 2021; 8(2):e001164.

Watanabe T, Nanamiya H, Kojima M, Nomura S, Furukawa S, Soeda S, Tanaka D, Isogai T, Imai JI, Watanabe S, Fujimori K. Clinical implication of oncogenic somatic mutations in early-stage cervical cancer with radical hysterectomy. *Scientific Reports*. 2021; 10(1):18734.

三浦秀樹, 添田周, 渡邊健史, 岡部慈子, 大原美希, 小島学, 古川茂宜, 渡辺尚文, 藤森敬也. 子宮筋腫表在血管の破綻が原因で腹腔内出血を来した一例. *福島医学雑誌*. 2020; 70(1):19-23.

心臓調律制御医学講座

論 文

[原 著]

Sato Y, Yoshihisa A, Watanabe K, Hotsuki Y, Kimishima Y, Yokokawa T, Misaka T, Sato T, Kaneshiro T, Oikawa M, Kobayashi A, Takeishi Y. Association between platelet distribution width and prognosis in patients with heart failure. *PLOS ONE*. 2020; 15(12):e0244608.

Sato Y, Yoshihisa A, Kimishima Y, Yokokawa T, Abe S, Shimizu T, Misaka T, Yamada S, Sato T, Kaneshiro T, Oikawa M, Kobayashi A, Yamaki T, Kunii H, Takeishi Y. Atrial fibrillation is associated with impaired exercise capacity and adverse prognosis in patients with heart failure with mid-range ejection fraction. *European Journal of Preventive Cardiology*. 2020; 27(19):2322-2325.

Yamada S, Yoshihisa A, Hijioke N, Kamioka M, Kaneshiro T, Yokokawa T, Misaka T, Ishida T, Takeishi Y. Autonomic dysfunction in cardiac amyloidosis assessed by heart rate variability and heart rate turbulence. *Annals of Noninvasive Electrocardiology*. 2020; 25(4):e12749.

Kaneshiro T, Kamioka M, Hijioke N, Yamada S, Yokokawa T, Misaka T, Hikichi T, Yoshihisa A, Takeishi Y. Characteristics of esophageal injury in ablation of atrial fibrillation using a high-power short-duration setting. *Circulation: Arrhythmia and Electrophysiology*. 2020; 13(10):e008602.

Misaka T, Niimura Y, Yoshihisa A, Wada K, Kimishima Y, Yokokawa T, Abe S, Oikawa M, Kaneshiro T,

Kobayashi A, Yamaki T, Kunii H, Takeishi Y. Clinical impact of sleep-disordered breathing on very short-term blood pressure variability determined by pulse transit time. *Journal of Hypertension*. 2020; 38(9):1703-1711.

Yokokawa T, Misaka T, Kimishima Y, Shimizu T, Kaneshiro T, Takeishi Y. Clinical significance of circulating cardiomyocyte-specific cell-free DNA in patients with heart failure: A Proof-of-Concept Study. *Canadian Journal of Cardiology*. 2020; 36(6):931-935.

Kiko T, Yoshihisa A, Yokokawa T, Misaka T, Yamada S, Kaneshiro T, Nakazato K, Takeishi Y. Direct comparisons of left ventricular volume and function by simultaneous cardiac magnetic resonance imaging and gated ¹³N-ammonia positron emission tomography. *Nuclear Medicine Communications*. 2020; 41(4):383-388.

Hotsuki Y, Sato Y, Yoshihisa A, Watanabe K, Kimishima Y, Kiko T, Yokokawa T, Misaka T, Sato T, Kaneshiro T, Oikawa M, Kobayashi A, Yamaki T, Kunii H, Nakazato K, Takeishi Y. Glasgow-blatchford score predicts post-discharge gastrointestinal bleeding in hospitalized patients with heart failure. *Journal of Clinical Medicine*. 2020; 9(12):4083.

Ichijo Y, Kono S, Yoshihisa A, Misaka T, Kaneshiro T, Oikawa M, Miura I, Yabe H, Takeishi Y. Impaired frontal brain activity in patients with heart failure assessed by near-infrared spectroscopy. *Journal of the American Heart Association*. 2020; 9(3): e014564.

Sato Y, Yoshihisa A, Kimishima Y, Yokokawa T, Abe S, Shimizu T, Misaka T, Yamada S, Sato T, Kaneshiro T, Oikawa M, Kobayashi A, Yamaki T, Kunii H, Takeishi Y. Prognostic factors in heart failure patients with cardiac cachexia. *Journal of Geriatric Cardiology*. 2020; 17(1):26-34.

Yaegashi D, Oikawa M, Yokokawa T, Misaka T, Kobayashi A, Kaneshiro T, Yoshihisa A, Nakazato K, Ishida T, Takeishi Y. Red blood cell distribution width is a predictive factor of anthracycline-induced cardiotoxicity. *Frontiers in Cardiovascular Medicine*. 2020; 7:594685.

Takeishi Y, Kiko T, Yokokawa T, Kunii H, Ichimura S, Takizawa S, Masuda A, Kaneshiro T, Ando T, Takenoshita S. Takayasu arteritis detected by PET/MRI with ¹⁸F-fluorodeoxyglucose. *Journal of Nuclear Cardiology*. 2020; 27(1):333-335.

Kaneshiro T, Hijioka N, Matsumoto Y, Nodera M, Yamada S, Kamioka M, Takeishi Y. Temperature drop in thawing phase reflects sufficient ice formation and better outcome of pulmonary vein isolation using second-generation cryoballoon. *Journal of Interventional Cardiac Electrophysiology*. 2020; 59(2):357-364.

Kamioka M, Yoshihisa A, Nodera M, Misaka T, Yokokawa T, Kaneshiro T, Nakazato K, Ishida T, Takeishi Y. The clinical implication of new-onset in-hospital atrial fibrillation in patients with acute decompensated heart failure. *Journal of Arrhythmia*. 2020; 36(5):874-882.

Ando T, Nakazato K, Kimishima Y, Kiko T, Shimizu T, Misaka T, Yamada S, Kaneshiro T, Yoshihisa A, Yamaki T, Kunii H, Takeishi Y. The clinical value of the PRECISE-DAPT score in predicting long-term prognosis in patients with acute myocardial infarction. *International Journal of Cardiology Heart & Vasculature*. 2020; 29:100552.

Kamioka M, Yoshihisa A, Hijioka N, Nodera M, Yamada S, Kaneshiro T, Oikawa M, Kobayashi A, Kunii H, Takeishi Y. The efficacy of combination of transcatheter atrial septal defects closure and radiofrequency catheter ablation for the prevention of atrial fibrillation recurrence through bi-atrial reverse remodeling. *Journal of Interventional Cardiac Electrophysiology*. 2020; 59(2):365-372.

Yamada S, Yoshihisa A, Kaneshiro T, Amami K, Hijioka N, Oikawa M, Takeishi Y. The relationship between red cell distribution width and cardiac autonomic function in heart failure. *Journal of Arrhythmia*. 2020; 36(6):1076-1082.

研究発表等

〔研究発表〕

Yamada S, Hijioka N, Kamioka M, Kaneshiro T, Takeishi Y. Changes in nutritional status after cardiac resynchronization therapy are associated with improvement of cardiac function and prognosis. *Heart Rhythm 41st Annual Scientific Sessions*; 20200506-09; Web. *Heart Rhythm*. 17(5-suppl):S507-508.

Kamioka M, Hijioka N, Yamada S, Kaneshiro T, Takeishi Y. Systolic and diastolic blood pressure variability as predisposing factor for atrial fibrillation recurrence in hypertensive patients. *Heart Rhythm 41st Annual Scientific Sessions*; 20200506-09; Web. *Heart Rhythm*. 17(5-suppl):S377.

Misaka T, Yokokawa T, Kimishima Y, Shimizu T, Kaneshiro T, Takeishi Y. An increase in circulating cardiomyocyte-specific cell-free DNA in heart failure. *American Heart Association Scientific Session 2020*; 20201113-17; Web. *Circulation*. 142(Suppl3):A13079.

Wada K, Misaka T, Yokokawa T, Kimishima Y, Minakawa K, Kaneshiro T, Yoshihisa A, Ikeda K, Takeishi Y. Clinical significance of clonal hematopoiesis with JAK2V617F in patients with cardiovascular diseases. *American Heart Association Scientific Session 2020*; 20201113-17; Web. *Circulation*. 142(Suppl3):A13080.

Hijioka N, Kaneshiro T, Amami K, Yamada S, Ishida T, Takeishi Y. Comparison of produced potential delay in superior vena cava during right pulmonary vein isolation between high-power short-duration and conventional settings. *American Heart Association Scientific Session 2020*; 20201113-17; Web. *Circulation*. 142(Suppl3):A13822.

Sato Y, Yoshihisa A, Kimishima Y, Yokokawa T, Abe S, Shimizu T, Misaka T, Yamada S, Sato T, Kaneshiro T, Oikawa M, Kobayashi A, Yamaki T, Kunii H, Takeishi Y. Atrial fibrillation is associated with impaired exercise capacity and adverse prognosis in heart failure patients with mid-range ejection fraction. 第84回日本循環器学会学術集会 ; 20200727-0802; Web.

Kamioka M, Amami K, Hijioka N, Yamada S, Kaneshiro T, Nakazato K, Ishida T, Takeishi Y. Clinical impact of visit to visit blood pressure variability on atrial fibrillation recurrence in hypertensive patients. 第84回日本循環器学会学術集会; 20200727-0802; Web.

Yamada S, Yoshihisa A, Hijioaka N, Kamioka M, Kaneshiro T, Ishida T, Takeishi Y. Differences of cardiac amyloidosis from other causes of left ventricular hypertrophy in holter monitoring. 第 84 回日本循環器学会学術集会 ; 20200727-0802; Web.

一條靖洋, 三阪智史, 義久精臣, 及川雅啓, 金城貴士, 石田隆史, 竹石恭知. Reduced brain activity is associated with anxiety and cognitive function in patients with heart failure as measured by near-infrared spectroscopy. 第 84 回日本循環器学会学術集会; 20200727-0802; Web.

金城貴士, 脇岡奈保子, 山田慎哉, 上岡正志, 竹石恭知. The incidence and characteristics of esophageal and periesophageal nerve injury in ablation of atrial fibrillation using high power-short duration setting. 第 84 回日本循環器学会学術集会; 20200727-0802; Web.

Wada K, Misaka T, Yokokawa T, Kimishima Y, Minakawa K, Kaneshiro T, Yoshihisa A, Ikeda K, Takeishi Y. Clinical significance of clonal hematopoiesis with JAK2V617F in patients with cardiovascular disease. 第 4 回日本循環器学会基礎研究フォーラム (The 4th JCS Council Forum on Basic CardioVascular Research); 20200926-0927; Web.

三阪智史, 横川哲朗, 君島勇輔, 清水竹史, 金城貴士, 義久精臣, 竹石恭知. Increases in circulating cardiomyocyte-specific cell-free DNA in heart failure. 第 24 回日本心不全学会学術集会; 20201015-1017; Web.

室田定洋, 脇岡奈保子, 金城貴士, 富田湧介, 天海一明, 山田慎哉, 國井浩行, 中里和彦, 石田隆史, 竹石恭知. 高周波アブレーションによる右側肺静脈隔離術中に、上大静脈も隔離に至った一例. 第 170 回日本循環器学会東北地方会; 20200823; Web.

富田湧介, 山田慎哉, 金城貴士, 室田定洋, 脇岡奈保子, 清水竹史, 竹石恭知. 心筋虚血による左室リード閾値の上昇に対して血行再建後に改善が得られた CRT-D 植え込み患者の一例. 第 171 回日本循環器学会東北地方会; 20201205; 福島/Web.

三阪智史, 横川哲朗, 君島勇輔, 清水竹史, 金城貴士, 義久精臣, 竹石恭知. 心不全における心筋細胞特異的セルフリーDNA の臨床的意義. 第 6 回日本心筋症研究会; 20200821-0914; Web.

脇岡奈保子, 金城貴士, 室田定洋, 富田湧介, 天海一明, 山田慎哉, 竹石恭知. 高周波による右肺静脈隔離術中に上大静脈の隔離が得られた一例. 第 17 回福島不整脈懇話会 ; 20200709; 福島.

〔特別講演〕

金城貴士. 基調講演 : アブレーションにより逆伝導のみ離断、術後慢性期に順伝導も消失した傍 His 束起源 WPW 症候群の 1 例. 福島循環器学術講演会; 20200914; 郡山.

〔招待講演〕

金城貴士. 心房細動 : ガイドライン等の up to date. Meet the Specialist in Fukushima; 20201030; Web.