

福島県立医科大学 学術機関リポジトリ



Title	免疫学講座(論文・著書・発表等)
Author(s)	
Citation	福島県立医科大学業績集. 31: 15-16
Issue Date	2021-03-19
URL	http://ir.fmu.ac.jp/dspace/handle/123456789/1415
Rights	©2021 福島県立医科大学
DOI	
Text Version	publisher

This document is downloaded at: 2024-04-27T03:55:35Z

Ror1 signaling through Dvl and Rif promotes invasion of lung adenocarcinoma cells. ASCB/EMBO 2019 Meeting; 20191207-11; Washington, DC, USA.

苅谷慶喜, 大山 翠, 西田 満, 苅谷由貴子. リン酸化オステオポンチンによる癌細胞の浸潤・転移への影響. 第7回マトリセルフオーラム at 仙台; 20190831; 仙台.

Kariya Yoshinobu, Oyama Midori. $\alpha v \beta 3$ integrin induces epithelial-mesenchymal transition (EMT) through TGF- β -independent pathway. 第78回日本癌学会学術総会; 20190927; 京都.

西田 満, 松本邦夫, 南 康博. Wnt5a-Ror1 シグナルは Rif を介した糸状突起形成によって肺腺がん細胞の浸潤を促進する. 第78回日本癌学会学術総会; 20190927; 京都.

[シンポジウム]

Nishita Michiru, Minami Yasuhiro. Wnt5a-Ror signaling in cancer cell proliferation and invasion. 第19回日本蛋白質科学会年会・第71回日本細胞生物学会大会合同年次大会; 20190626; 神戸.

免疫学講座

論 文

[原 著]

Hayashi M, Machida T, Ishida Y, Ogata Y, Omori T, Takasumi M, Endo Y, Suzuki T, Sekimata M, Homma Y, Ikawa M, Ohira H, Fujita T, Sekine H. Cutting Edge: Role of MASP-3 in the Physiological Activation of Factor D of the Alternative Complement Pathway. *Journal of Immunology*. 201909; 203(6):1411-1416.

Machida T, Hayashi M, Fujita T, Sekine H. Response to Comment on “Cutting Edge: Role of MASP-3 in the Physiological Activation of Factor D of the Alternative Complement Pathway”. *Journal of Immunology*. 201912; 203(12):3091-3092.

Hata J, Machida T, Matsuoka K, Hoshi S, Akaihata H, Hiraki H, Suzuki T, Ogawa S, Kataoka M, Haga N, Ishibashi K, Homma Y, Sekine H, Kojima Y. Complement activation by autoantigen recognition in the growth process of benign prostatic hyperplasia. *Scientific Reports*. 201912; 9:20357.

研究発表等

[研究発表]

Kato Y, Sekiryu T, Oguchi Y, Omori T, Machida T, Sekine H. Complement activation product levels in aqueous humor of patients with age-related macular degeneration. ARVO Annual Meeting 2019; 20190428-

0502; Vancouver, Canada.

Takasumi M, Omori T, Machida T, Ishida Y, Fujita T, Sekine H. A Fusion protein of sMAP and factor H inhibits both the lectin and alternative complement pathways in vivo. 17th European Meeting on Complement in Human Disease; 20190914-17; Madrid, Spain.

大森智子, 大口泰治, 町田 豪, 石田由美, 加藤 寛, 石龍鉄樹, 関根英治. 加齢黄斑変性の病態におけるレクチン経路の関与の可能性. 第56回日本補体学会学術集会; 20190823; 東京. 補体. 56(1):42-43.

大森智子, 大口泰治, 町田 豪, 加藤 寛, 石田由美, 小島 彰, 板垣可奈子, 新竹広晃, 富田隆太郎, 笠井晓仁, 菅野幸紀, 小笠原雅, 関根英治, 石龍鉄樹. 滲出型加齢黄斑変性患者の眼内における補体レクチン経路および古典経路活性化のエビデンス. 研究連携セミナーポスター発表会 2019; 20191217; 福島.

病態制御薬理医学講座

論 文

[原 著]

Imai R, Yokota S, Horita S, Ueta Y, Maejima Y, Shimomura K. Excitability of oxytocin neurons in paraventricular nucleus is regulated by voltage-gated potassium channels Kv4.2 and Kv4.3. *Bioscience, Biotechnology, and Biochemistry*. 201902; 83(2):202-211.

Horita S, Kataoka M, Kitamura N, Miyakawa T, Ohtsuka J, Maejima Y, Shimomura K, Nagata K, Shimizu S, Tanokura M. Structural basis of different substrate preferences of two old yellow enzymes from yeasts in the asymmetric reduction of enone compounds. *Bioscience, Biotechnology, and Biochemistry*. 201903; 83(3):456-462.

Otsuka A, Jinguji A, Maejima Y, Kasahara Y, Shimomura K, Hidema S, Nishimori K. LGR4 is essential for R-spondin1-mediated suppression of food intake via pro-opiomelanocortin. *Bioscience, Biotechnology, and Biochemistry*. 201907; 83(7):1336-1342.

Satake S, Shimura T, Ono T, Shimomura K, Takenoshita S, Kono K. Noninvasive continuous blood pressure monitoring using microelectromechanical system technology. *Blood Pressure Monitoring*. 201906; 24(3):155-159.

Momma T, Gonda K, Akama Y, Endo E, Ujiie D, Fujita S, Maejima Y, Horita S, Shimomura K, Saji S, Kono K, Yashima R, Watanabe F, Sugano K, Nomizu T. MLH1 germline mutation associated with Lynch syndrome in a family followed for more than 45 years. *BMC Medical Genetics*. 201905; 20(1):67.

Gonda K, Yaginuma K, Rokkaku Y, Horita S, Maejima Y, Shimomura K. Association between cognitive